

{Nano|Micro|Mini}-Services?

Modularization for Sustainable Systems

Stefan Tilkov | innoQ
stefan.tilkov@innoq.com
@stilkov

microXchg 2015 – The Microservices Conference in Berlin

Thursday, 12 February 2015 at 08:30 - Friday, 13 February 2015 at
17:30 (CET)
Berlin, Germany

microxchg **2015**

<http://microxchg.io>

1. Reviewing architectures

Generic Architecture Review Results

Building
features takes
too long

Technical debt is
well-known and not
addressed

Deployment is
way too
complicated and
slow

Architectural quality
has degraded

Scalability has reached
its limit

“-ility” problems
abound

Replacement would
be way too expensive

Any architecture's quality is inversely proportional to the number of bottlenecks limiting its evolution, development, and operations

«Insert Obligatory Conway Reference Here»

Conway's Law

Organization → Architecture

“Organizations which design systems are constrained to produce systems which are copies of the communication structures of these organizations.” – M.E. Conway

Reversal 1

Organization ← Architecture

**Any particular architecture approach
constraints organizational options – i.e. makes
some organizational models simple and others
hard to implement.**


Reversal 2

Organization ← Architecture


Choosing a particular architecture can be a means of optimizing for a desired organizational structure.

2. System boundaries

Modularization



Consolidation



Modernization

Legacy System

Greenfield



The diagram illustrates a Greenfield project. It features a central rectangular box with a solid black border, containing the text "New System". This box is enclosed within a larger, dashed blue rectangular border. A dashed blue line extends from the bottom-left corner of the dashed blue border towards the text "Project scope".

New System

Project scope

1 Project = 1 System?

Size

Modularization

1-50 LOC

single file

50-500 LOC

few files, few functions

500-1000 LOC

Library, class hierarchy

1000-2000 LOC

Framework + application

>2000 LOC

multiple applications

System Characteristics

Separate (redundant) persistence

Internal, separate logic

Domain models & implementation strategies


Separate UI

Separate development & evolution

Limited interaction with other systems

Autonomous deployment and operations

Domain architecture



Macro (technical) architecture


JRuby


C#


Scala

**Groovy
Java**


Clojure










Micro architecture





Assumptions to be challenged

Large systems with a single environment

Separation internal/external

Predictable non-functional requirements

Clear & distinct roles

Planned releases

Built because they have to be



THE TWELVE-FACTOR APP

I. Codebase

One codebase tracked in revision control, many deploys

II. Dependencies

Explicitly declare and isolate dependencies

III. Config

Store config in the environment

IV. Backing Services

Treat backing services as attached resources

V. Build, release, run

Strictly separate build and run stages

VI. Processes

Execute the app as one or more stateless processes

VII. Port binding

Export services via port binding

VIII. Concurrency

Scale out via the process model

IX. Disposability

Maximize robustness with fast startup and graceful shutdown

X. Dev/prod parity

Keep development, staging, and production as similar as possible

XI. Logs

Treat logs as event streams

XII. Admin processes

Run admin/management tasks as one-off processes

App characteristics

Separate, runnable process

Accessible via standard ports & protocols

Shared-nothing model

Horizontal scaling

Fast startup & recovery

Microservice Characteristics

small

each running in its own process

lightweight communicating mechanisms (often HTTP)

built around business capabilities

independently deployable

minimum of centralized management

may be written in different programming languages

may use different data storage technologies

System Characteristics

Separate (redundant) persistence

Internal, separate logic

Domain models & implementation strategies

Separate UI

Separate development & evolution

Limited interaction with other systems

Autonomous deployment and operations

In search for a name ...

Sovereign system

Executable component

Bounded system

Small enough system

System

Autonomous system

Self-contained system

Large enough system

Cohesive system

Logical node

Domain unit

Independent system

Self-sufficient component

Small system

Full-stack service

Not-so-micro-service

Self-Contained System (SCS)

SCS Characteristics

Autonomous web application

Owned by one team

No sync remote calls

Service API optional

Includes data and logic

No shared UI

No or pull-based code sharing only

	SCS	App	Microservice
Size (kLoC)	1-50	0.5-10	0.1-?
State	Self-contained	External	Self-contained
# per Logical System	5-25	>50	>100
Communication between units	No (if possible)	?	Yes
UI	Included	Included	External (?)
UI Integration	Yes (web-based)	?	?

But why?

Isolation

(Independent) Scalability

Localized decisions

Replaceability

Playground effect

Afraid of chaos?

Necessary Rules & Guidelines

Cross-system

Responsibilities

UI integration

Communication protocols

Data formats

Redundant data

BI interfaces

Logging, Monitoring

System-internal

Programming languages

Development tools

Frameworks

Process/Workflow control


Persistence

Design patterns


Coding guidelines

Web-native front-end integration


Server-side integration



Client-side integration



Links



Server-side integration options

Edge integration	ESI	(Portal server)
	Homegrown	
Backend call	RMI	RPC
		REST
		WS-*
Storage	DB replication	Feeds
Deployment	Build tools	Chef, Puppet, ...
		Asset pipeline
Development	Git/SVN submodules	Gems
		Maven artifacts

Client-side integration options

Client call

SPA-style

JS Widgets

Replaced link

Unobtrusive JS

oEmbed

ROCA-style

Link

Magical integration concept

Summary

Explicitly design system boundaries

Modularize into independent, self-contained systems

Separate micro and macro architectures

Be aware of changing quality goals

Strike a balance between control and decentralization

Thank you!
Questions?
Comments?

Stefan Tilkov, @stilkov
stefan.tilkov@innoq.com
<http://www.innoq.com/blog/st/>
Phone: +49 170 471 2625



innoQ Deutschland GmbH

Krischerstr. 100
40789 Monheim am Rhein
Germany
Phone: +49 2173 3366-0

Ohlauer Straße 43
10999 Berlin
Germany
Phone: +49 2173 3366-0

Robert-Bosch-Straße 7
64293 Darmstadt
Germany
Phone: +49 2173 3366-0

Radlkoferstraße 2
D-81373 München
Germany
Telefon +49 (0) 89 741185-270

innoQ Schweiz GmbH

Gewerbestr. 11
CH-6330 Cham
Switzerland
Phone: +41 41 743 0116